## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Currently Amended) <u>A method for authorizing</u> Method for the authorization of transactions in a communication system, wherein a user equipment (UE) receives an authorization request for a content which is to be authorized with an identifier (H) of a transaction and wherein the UE replies to the request with an authorization response, said method comprising the steps of:

calculating the identifier (H) from the content:

transmitting the authorization request with the identifier to the UE

reception of receiving the authorization request,

determining an indication for the authorization request,

output of the indication by the user equipment (UE),

waiting for an input to approve or disapprove the authorization request,

signing the identifier (H) using a signing function, and

sending the authorization response according to the input, wherein an approving authorization response comprises the signed identifier (H).

- 2. (Currently Amended) <u>The method Method</u> according to claim 1, wherein the identifier (H) is a hash value.
- 3. (Currently Amended) The method Method according to claim 1 or 2, wherein a check is performed whether the authorization request comprises a string (T) and the indication is the detected string (T) or a default string else.
- 4. (Currently Amended) <u>The method</u> <u>Method</u> according to <del>any</del> <del>preceding</del> claim <u>3</u>, wherein the displayed indication is included in the authorization response.

- 5. (Currently Amended) The method Method according to any preceding claim 3, wherein a check is performed whether a connection is classified as safe and the indication comprises a result of the check or is selected according to the check.
- 6. (Currently Amended) <u>The method</u> Method according to any preceding claim 3, wherein the authorization request comprises a signature of the sender and a check of the sender signature is performed.
- 7. (Currently Amended) The method Method according to claim 6, wherein the indication comprises a result of the check or is selected according to the check.
- 8. (Currently Amended) <u>The method</u> <u>Method</u> according to any preceding claim <u>7</u>, wherein a concatenation of the identifier (H) and at least one further parameter is signed.
- 9. (Currently Amended) The method Method any preceding claim 7, wherein a signature depends on a parameter which varies in consecutive authorization requests or authorization responses.
- 10. (Currently Amended) <u>The method</u> <u>Method</u> according to any proceeding claim <u>7</u>, wherein the authorization request is sent by a server (MS) after reception of a message from a further entity.
- 11. (Currently Amended) The method Method according to claim 10, wherein the message comprises the indication or a parameter determining the indication.

- 12. (Currently Amended) The method Method according to claim 10 er 11, wherein the server (MS) forwards an approval of the identifier (H) to the further entity.
- 13. (Currently Amended) The method Method according to claim 10 any of the claims 10 to 12, wherein the server (MS) stores the indication or forwards it to the further entity.
- 14. (Currently Amended) <u>A server Server</u> for processing authorization procedures in a communication system, comprising:

with an interface to exchange messages with between the server and user equipment [[of]] connected to the communication system, wherein the server has

a processing system adapted to send an authorization request, for a content which is to be authorized, to the user equipment and to receive an authorization response from the user equipment, wherein characterized in that the processing system is further adapted for

determines calculating an identifier (H) from for the content and for including includes—the identifier (H) in into the authorization request, wherein the authorization request is then transmitted, with the identifier to the UE, wherein the UE determines an indication for the authorization request, and

the processing system determines an indication for the content and includes the indication into the authorization request

the server being adapted for checking (MS) checks the authorization response for the identifier (H) signed by the user equipment (UE).

15. (Currently Amended) The server Server according to claim 14, wherein the server (MS) comprises

an interface to receive messages from a further <u>network</u> entity and the processing system is adapted to extract the content for authorization from a message

received from the further network entity and to send a reply to the further network entity, wherein the reply is determined by the authorization response.

## 16. (Canceled)

- 17. (Currently Amended) <u>A user equipment (UE) for a communication system, User equipment for a communication system, especially for a mobile communication system, with comprisinig:</u>
- a transmission unit to receive and send messages, the messages comprising authorization requests and authorization responses,
  - a unit to process input of a user,
  - a unit to perform an output to the user,
  - a unit to sign parameters and
- a processing system (PS) controlling said units which is the PS adapted to process an authorization request for a content which is to be authorized with an identifier (H) of a transaction and to reply to the request with an authorization response, wherein

the processing system (PS) includes

a unit to determine for

calculating the identifier (H) from the content;

transmitting the authorization request with the identifier to the UE

determining an indication for the request, to initiate

initiating the output of the indication by the unit to perform an output output unit (OU), to wait

waiting for an approval of the request by the user, to initiate

intiating the signing of the identifier (H) and to initiate the sending of

an authorization response with the signed identifier (H) by the

transmission unit (TU).

- 18. (Currently Amended) The user equipment User equipment according to claim 17, wherein the processing system (PS) performs a check whether the authorization request comprises a string (T) and selects a the detected string (T) as indication or a default string else.
- 19. (Currently Amended) The user equipment User equipment according to claim 17 or 18, wherein the processing system (PS) includes the displayed indication in the authorization response.
- 20. (Currently Amended) The user equipment User equipment according to claim 19 any of the claims 17 to 19, wherein the processing system (PS) performs a check whether a connection is classified as safe and includes the result of the check in the indication or selects the indication according to the check.
- 21. (Currently Amended) The user equipment User equipment according to claim 17 any of the claims 17 to 29, wherein the authorization request comprises a signature of the sender and the processing system (PS) performs a check of the sender signature.
- 22. (Currently Amended) The user equipment User equipment according to claim 21, wherein the processing system (PS) includes the result of the check in the indication or selects the indication according to the check.
- 23. (Currently Amended) The user equipment User equipment according to claim 22 any of the claims 17 to 22, wherein the processing system (PS) signs a concatenation of the identifier (H) and at least one further parameter.
- 24. (Currently Amended) The user equipment User equipment according to claim 23 any of the claims 17 to 23, wherein the processing system (PS) includes a

parameter which varies in consecutive authorization requests or authorization responses into a signed content.

25. (Currently Amended) A computer program stored on a computer readable medium coupled with a user equipment (UE) Computer program unit for receiving an authorization request for a content which is to be authorized with an identifier (H) of a transaction and for the UE replying to the request with an authorization response, the computer program program unit comprising instructions for: code for performing the steps of

calculating the identifier (H) from the content;

transmitting the authorization request with the identifier to the UE

reception of receiving the authorization request,

determining an indication for the authorization request,

initiating the output of the indication,

waiting for an input approving or disapproving the authorization request,

initiating the signing of the identifier (H), and

determining the authorization response according to the input, wherein an approving authorization response comprises the signed identifier (H).

- 26. (Currently Amended) The computer program of Computer program unit according to claim 25, wherein the identifier (H) is a hash value, the program unit performs at least one step of a method according to any of the claims 2 to 9.
- 27. (New) The server of claim 14, further comprising means for performing a check of whether the authorization request comprises a string (T) and the indication is the detected string (T) or a default string.
- 28. (New) The server of claim 14, further comprising means for including the indication in the authorization response.

- 29. (New) The server of claim 14, further comprising means for determining whether a connection is classified as safe and the indication comprises a result of the check or is selected according to the check.
- 30. (New) The server of claim 14, wherein the authorization request comprises a signature of the sender and the server further comprises means for performing a check of the sender signature is performed.
- 31. (New) The server of claim 14, further comprising means for detecting a signed concatenation of the identifier (H) and at least one further parameter.
- 32. (New) The server of claim 14, wherein a signature depends on a parameter which varies in consecutive authorization requests or authorization responses.
- 33 (New) The server of claim 14, wherein the authorization request is sent by the server (MS) after reception of a message from a further entity.
- 34. (New) The server of claim 34, wherein the message comprises the indication or a parameter determining the indication.
- 35. (New) The server of claim 34, wherein the server (MS) forwards an approval of the identifier (H) to the further entity.
- 36. (New) The server of claim 34, wherein the server (MS) stores the indication or forwards it to the further entity.